

```

{{{outertitle}}}

{{{topimage}}}
{{{topcaption}}}
{{{pretitle}}}
{{{title}}}
{{{image}}}
{{{caption}}}
{{{above}}}
{{{heading1}}}
{{{content1}}}
{{{heading2}}}
{{{content2}}}
{{{heading3}}}
{{{content3}}}
.....
{{{heading35}}}
{{{content35}}}
{{{below}}}

```



[\[edit\]](#) [\[purge\]](#) [Template documentation](#)
This documentation transcluded from [Template:Sidebar/doc](#)([edit](#) | [history](#))

*For the previous **Template:Sidebar**,*

use `<div class="infobox" style="width:20em;">.....</div>`.

That was its code.

This template is intended as a metatemplate for sidebar templates; usually positioned on the righthand sides of pages) in the same spirit as [{{Infobox}}](#) for infobox templates and [{{Navbox}}](#) for navbox templates.

Contents

- [1 Pro forma](#)
- [2 Parameters](#)
 - ◆ [2.1 Principal](#)
 - ◆ [2.2 Other parameters](#)
- [3 Full blank syntax](#)

Pro forma

Parameters with infrequent use omitted.

```

{{Sidebar
|name          =
|outertitle    =
|topimage      =
|pretitle     =
|title        =

```

Template:Sidebar

```
|image          =
|headingstyle =
|contentstyle =

|heading1 =
|content1 =

|heading2 =
|content2 =

|heading3 =
|content3 =

<!--etc.-->

|heading35 =
|content35 =

|below =
}}
```

Parameters

No parameters are required unless {{[navbar](#)}} links ("v·d·e") are to appear at the bottom of the sidebar, in which case the parameter *name* is needed (see entry in the table immediately below).

Principal

Parameter	Explanation
<i>name</i>	The sidebar's name, i.e. the name following "Template:" in the page's name. Required for the {{navbar}} links at the bottom of the sidebar to function correctly, unless these are omitted (see <i>navbar</i> at the bottom of this table).
<i>outertitle</i>	Use to place a title for the sidebar immediately above the sidebar.
<i>topimage</i>	Use to place an image at the top of the sidebar, i.e. above any <i>title</i> included. Full wikisyntax expected (i.e. [[Image: . . .]]). To add a caption below the image, use <i>topimagecaption</i> .
<i>pretitle</i>	Use to place a line such as "Part of the X series on" before the title.
<i>title</i>	Use to place a title for the sidebar at the top of the sidebar (immediately below the <i>topimage</i> , if used).
<i>image</i>	Use to place an image between the <i>title</i> (if used) and first section. As with <i>topimage</i> , full wikisyntax expected (i.e. [[Image: . . .]]). To add a caption below the image, use

Template:Sidebar

	<i>imagecaption</i> .		
	Use to alter the default CSS styling set for section headings.		
<i>headingstyle</i>	To alter the CSS styling for a specific section's heading, use <i>headingNstyle</i> , where <i>N</i> is the number of the section.		
	Use to alter the default CSS styling set for section content.		
<i>contentstyle</i>	To alter the CSS styling for a particular section's content, use <i>contentNstyle</i> , where <i>N</i> is the number of the section.		
<i>heading1</i>	First section's heading (if needed).</tr>	<i>content1</i>	First section's content (required).</tr>
<i>heading2</i>	Second section's heading (if needed).</tr>	<i>content2</i>	Second section's content (if needed).</tr>
<i>heading3</i>	Third section's heading (if needed).</tr>	<i>content3</i>	Third section's content (if needed).</tr>
..... etc			
<i>heading35</i>		<i>content35</i>	
<i>navbar</i>	Currently, the last possible section heading and/or content (if needed).</tr>		Set to "none" (without the quotes) to remove the {{ navbar }} links appearing at the bottom of the sidebar.

Other parameters

Parameter	Explanation
<i>above</i>	Corresponds to <i>above</i> parameter offered by {{ Navbar }}.
<i>class</i> (or <i>bodyclass</i>)	
<i>outertitleclass</i>	Microformat classes for the corresponding parameters.
<i>topimageclass</i>	(<i>class / bodyclass</i> applies to the sidebar as a whole.)
<i>titleclass</i>	
<i>imageclass</i>	
<i>below</i>	Use to e.g. add one or more portal links to the bottom of the template (by default in bold).
<i>style</i> (or <i>bodystyle</i>)	Use to alter default CSS styling for the corresponding parameters.
<i>outertitlestyle</i>	(<i>style / bodystyle</i> applies to the sidebar as a whole.)
<i>topimagestyle</i>	
<i>topcaptionstyle</i>	
<i>pretitestyle</i>	
<i>titestyle</i>	
<i>imagestyle</i>	
<i>captionstyle</i>	

<i>belowstyle</i>	
<i>navbarstyle</i>	
<i>cellspacing</i>	Use to amend the default cellspacing set for the infobox-class table with which the sidebar is built.
<i>cellpadding</i>	Ditto the default cellpadding.
<i>navbaroptions</i>	Use to specify more options for the navbar at the bottom of the sidebar (see {{navbar}} for options available).

Full blank syntax

(omitting sections 4 to penultimate)

```

{{Sidebar
|name =
|class = <!--or bodyclass-->
|style = <!--or bodystyle-->
|cellspacing =
|cellpadding =
|sectdivider =

|outertitle =
|outertitleclass =
|outertitlestyle =

|topimage =
|topimageclass =
|topimagestyle =
|topcaption =
|topcaptionstyle =

|pretitle =
|pretitlestyle =

|title =
|titleclass =
|titlestyle =

|image =
|imageclass =
|imagestyle =
|caption =
|captionstyle =

|abovestyle =
|above =

|headingstyle =
|contentstyle =

|heading1style =
|heading1 =
|content1style =
|content1 =

|heading2style =

```

Other parameters

Template:Sidebar

```
|heading2 =  
|content2style =  
|content2 =  
  
|heading3style =  
|heading3 =  
|content3style =  
|content3 =  
  
<!--etc.-->  
  
|heading35style =  
|heading35 =  
|content35style =  
|content35 =  
  
|belowstyle =  
|below =  
  
|navbar =  
|navbarstyle =  
|navbarmenu =  
|navbartabs =  
|navbaroptions =  
}}
```